





This is to certify that: Simona Peak Pipe Systems Limited

> **Smeckley Wood Close** Chesterfield Trading Estate

Chesterfield S41 9PZ

United Kingdom

Holds Certificate Number: KM 718870

In respect of:

#### GIS PL2-6 and PP1547

Polyethylene pipes and fittings for natural gas and suitable manufactured gas - Spigot end fittings for electrofusion and/or butt fusion purposes

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

Shahm Barhom, Group Product Certification Director

Effective Date: 2023-11-08 First Issued: 2020-03-10 Latest Issue: 2023-11-08

Expiry Date: 2026-11-07

Page: 1 of 6



For and on behalf of BSI:

No. KM 718870

GIS PL2-6:2018 Polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 6: Spigot end fittings for electrofusion and/or butt fusion purposes

PP1547:2022 Controls and ancillaries for use with Hydrogen

This Kitemark certificate covers the following ranges of Class B factory fabricated spigot end fittings:

Flange adapters (electrofusion only)

| Model Outside diameter Pipe pup length SDR MOP | Outside        | Pipe pup       | CDR                | MOD                | PE material  |                               |  |
|--|----------------|----------------|--------------------|--------------------|--|-------------------------------|--|
|  | Pipe pup       | Flange         |                    |                    |  |                               |  |
| PKFAB0964A                                     | 63mm           | 134mm          | SDR11              | 5.5 bar            | PE80:<br>Borealis BorSafe ME 3441                                      |                               |  |
|  |                |                |                    |                    |  | PE100 Black:                  |  |
| PKFAB0964B                                     | 90mm           | 134mm          | SDR17.6            | 3.0 bar            | PE80 co-extruded: Black inner -  | INEOS ELTEX<br>TUB 121 N 6000 |  |
| PKFAB0964C<br>PKFAB0964D                       | 125mm<br>180mm | 153mm<br>174mm | SDR17.6<br>SDR17.6 | 3.0 bar<br>3.0 bar | Borealis BorSafe ME 3440<br>Yellow outer -<br>Borealis BorSafe ME 3441 |                               |  |

Flange adapters with backing ring and gasket (with 500mm pine pun)

| Model   | Outside diameter                         | SDR   | МОР  | PE material   |   |  |
|---|--|---|--|---|---|--|
| riodei  |  |   |  | Pipe pup  | Flange  |  |
| GISSFY63NRP   | 63mm                                     | SDR11   | 5.5 bar  | PE80:<br>Borealis BorSafe ME 3441   |   |  |
| GISSFY90VRP<br>GISSFY125VRP<br>GISSFY180VRP<br>GISSFY250VRP<br>GISSFY315VRP<br>GISSFY250XRP<br>GISSFY315XRP | 90mm<br>125mm<br>180mm<br>250mm<br>315mm | SDR17.6<br>SDR17.6<br>SDR17.6<br>SDR17.6<br>SDR17.6<br>SDR21<br>SDR21 | 3.0 bar<br>3.0 bar<br>3.0 bar<br>3.0 bar<br>3.0 bar<br>2.0 bar | PE80 co-extruded<br>Black inner -<br>Borealis BorSafe ME 3440<br>Yellow outer -<br>Borealis BorSafe ME 3441 | PE100 Black:<br>INEOS ELTEX<br>TUB 121 N 6000 |  |

First Issued: 2020-03-10 Effective Date: 2023-11-08 Latest Issue: 2023-11-08 Expiry Date: 2026-11-07

Page: 2 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 718870

GIS PL2-6:2018 Polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 6: Spigot end fittings for electrofusion and/or butt fusion purposes

PP1547:2022 Controls and ancillaries for use with Hydrogen

Equal tees (all outlets with 500mm pipe pups)

| Madal       | Outside  | CDD     | MOD     | PE material  |                |  |
|-------------|----------|---------|---------|--|----------------|--|
| Model       | diameter | SDR     | МОР     | Pipe pup   | Tee            |  |
| GISETY250VP | 250mm    | SDR17.6 | 3.0 bar | PE80 co-extruded: Black inner - Borealis BorSafe ME 3440 | PE100 Black:   |  |
| GISETY315VP | 315mm    | SDR17.6 | 3.0 bar |  | INEOS ELTEX    |  |
| GISETY250XP | 250mm    | SDR21   | 2.0 bar | Yellow outer -   | TUB 121 N 6000 |  |
| GISETY315XP | 315mm    | SDR21   | 2.0 bar | Borealis BorSafe ME 3441                                 |                |  |

Branch reducing tees (all outlets with 500mm pipe pups)

| Model   | Outside diameter (main x branch)  | SDR     | МОР     | PE material  |   |
|---|---|---------|---------|--|---|
|   |   | SDK     |         | Pipe pup   | Tee/reducer(s)                                |
| GISRTY250X90VP<br>GISRTY315X90VP<br>GISRTY250X125VP<br>GISRTY315X125VP<br>GISRTY250X180VP<br>GISRTY315X180VP<br>GISRTY315X250VP | 250mm x 90mm<br>315mm x 90mm<br>250mm x 125mm<br>315mm x 125mm<br>250mm x 180mm<br>315mm x 180mm<br>315mm x 250mm | SDR17.6 | 3.0 bar | PE80 co-extruded: Black inner - Borealis BorSafe ME 3440 Yellow outer - Borealis BorSafe ME 3441 | PE100 Black:<br>INEOS ELTEX<br>TUB 121 N 6000 |
| GISRTY315X180XP<br>GISRTY315X250XP  | 315mm x 180mm<br>315mm x 250mm  | SDR21   | 2.0 bar |  |   |

### Other reducing tees (all outlets with 500mm pipe pups)

- Any outlet of the tee can be factory fitted with the following reducer(s) before the pipe pup:
  - SDR17.6 or SDR21: 315mm x 250mm; 250mm x 180mm
  - SDR17.6 only: 180mm x 125mm; 180mm x 90mm; 125mm x 90mm
- Each tee factory fabrication must use parts with the same SDR
- Reducer(s) must only be used for continuous reduction from the tee outlets
- Reducer(s) must end with 500mm Yellow PE80 pipe pup with corresponding diameter

First Issued: 2020-03-10 Effective Date: 2023-11-08 Latest Issue: 2023-11-08 Expiry Date: 2026-11-07

Page: 3 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 718870

GIS PL2-6:2018 Polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 6: Spigot end fittings for electrofusion and/or butt fusion purposes

PP1547:2022 Controls and ancillaries for use with Hydrogen

Reducers (inlets and outlets with 500mm pipe pups)

| Model  | Outside diameter   | CDD     | МОР     | PE material  |   |  |
|--|--|---------|---------|--|---|--|
| Model  |  | SDR     |         | Pipe pup   | Reducer(s)                                    |  |
| GISRY125X090VP<br>GISRY180X090VP<br>GISRY180X125VP<br>GISRY250X090VP<br>GISRY250X125VP<br>GISRY250X180VP<br>GISRY315X090VP<br>GISRY315X125VP<br>GISRY315X125VP<br>GISRY315X180VP | 125mm x 90mm<br>180mm x 90mm<br>180mm x 125mm<br>250mm x 90mm<br>250mm x 125mm<br>250mm x 180mm<br>315mm x 90mm<br>315mm x 125mm<br>315mm x 125mm<br>315mm x 250mm | SDR17.6 | 3.0 bar | PE80 co-extruded: Black inner - Borealis BorSafe ME 3440 Yellow outer - Borealis BorSafe ME 3441 | PE100 Black:<br>INEOS ELTEX<br>TUB 121 N 6000 |  |
| GISRY315X180XP<br>GISRY315X250XP   | 315mm x 180mm<br>315mm x 250mm   | SDR21   | 2.0 bar |  |   |  |

First Issued: 2020-03-10 Effective Date: 2023-11-08 Latest Issue: 2023-11-08 Expiry Date: 2026-11-07

Page: 4 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 718870

GIS PL2-6:2018 Polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 6: Spigot end fittings for electrofusion and/or butt fusion purposes

PP1547:2022 Controls and ancillaries for use with Hydrogen

Mitred bends in angles 11°, 22.5°, 45°, 90° and bespoke angles (low sales volume (≤250 pa) products)

| Model  | Outside diameter   | SDR     | МОР     | PE material  |  |  |
|--|--|---------|---------|--|--|--|
|  |  |         |         | Pipe pups  |  |  |
| MBY90X**NP<br>MBY125X**NP<br>MBY180X**NP<br>MBY225X**NP<br>MBY250X**NP<br>MBY315X**NP<br>MBY355X**NP | 90mm<br>125mm<br>180mm<br>225mm<br>250mm<br>315mm<br>355mm | SDR11   | 2.0 bar | PE80 co-extruded: Black inner - Borealis BorSafe ME 3440 |  |  |
| MBY90X**VP<br>MBY125X**VP<br>MBY180X**VP<br>MBY225X**VP<br>MBY250X**VP<br>MBY315X**VP<br>MBY355X**VP | 90mm<br>125mm<br>180mm<br>225mm<br>250mm<br>315mm<br>355mm | SDR17.6 |         | Yellow outer -<br>Borealis BorSafe<br>ME 3441            |  |  |

Mitred bends in angles 11°, 22.5°, 45°, 90° and bespoke angles (low sales volume (≤250 pa) products)

| M - J - I                                    | Outside diameter        | SDR   | MOD     | PE material   |  |
|--|-------------------------|-------|---------|---|--|
| Model  |                         |       | МОР     | Pipe pups   |  |
| MBHY250X**XP<br>MBHY315X**XP<br>MBHY355X**XP | 250mm<br>315mm<br>355mm | SDR21 | 2.0 bar | PE100/PE80 co-extruded: Black inner - Borealis BorSafe HE 3490-LS Yellow outer - Borealis BorSafe ME 3441 |  |

<sup>\*\*</sup> angle eg MBY90X90NP

First Issued: 2020-03-10 Effective Date: 2023-11-08
Latest Issue: 2023-11-08 Expiry Date: 2026-11-07

Page: 5 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 718870

GIS PL2-6:2018 Polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 6: Spigot end fittings for electrofusion and/or butt fusion purposes

PP1547:2022 Controls and ancillaries for use with Hydrogen

#### **Manufacturing location:**

Simona Peak Pipe Systems Limited Smeckley Wood Close Chesterfield Trading Estate Chesterfield S41 9PZ

**Notes:-** All PE parts are joined together in the factory using butt fusion

Pipe pups are fabricated from pipe covered by KM 676129

Pipe pups use Masterbatch 9816 RCOM High Opacity Yellow to enhance the Yellow colour

First Issued: 2020-03-10 Effective Date: 2023-11-08
Latest Issue: 2023-11-08 Expiry Date: 2026-11-07

Page: 6 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.