

PRODUCT DATA SHEET

SIMONA Peak SuperPro 26 (PE-HD)



Specification overview

- EN 1519-1
- PEHD - Black

For the transportation of water in siphonic drainage systems. Above or below ground installation.

OD	SDR	Pressure rating	Material
50* - 315mm	26	0 bar	PE-HD

Lengths

Pipes ≥ 50 mm in diameter will be supplied in standard lengths of 6, 12m
 Other lengths can be produced at customers request

Markings

All products will be marked on one side with characters at least 3mm high in a contrasting colour to the pipe material ≤ 63 mm in diameter.

All products will be marked on one side with characters at least 5mm high in a contrasting colour to the pipe material ≥ 90 mm in diameter.

The following identification and traceability marks are printed once every metre;


- Manufacturers identification: SIMONA Peak Pipe Systems
- Brand: SuperPro 26
- Material designation: PE-HD
- Certification Body: Bureau Veritas (example)
- Certificate Number: 1144/005 (example)
- Standard number: EN 1519-1
- SDR value: SDR26 (example)
- Outside diameter: 250mm (example)
- Manufacturing code: (Contains date)
- Application: B Only

Suitable jointing methods

- Butt fusion
- Electrofusion Fittings

PRODUCT DATA SHEET

SIMONA Peak SuperPro 26 (PE-HD)



Nom size (mm)	Max OD (mm)	SDR	Min t (mm)	Max t (mm)	Mean weight (kg/m)	Mean bore (mm)
50	50.5	26*	3	3.5	0.3	43.7
63	63.6	26*	3	3.5	0.5	56.7
75	75.7	26*	3	3.5	0.7	68.8
90	90.9	26	3.5	4.1	1	82.9
110	111	26	4.2	4.9	1.4	101.3
125	126.2	26	4.8	5.5	1.8	115.2
160	161.5	26	6.2	7.1	3.1	147.4
200	201.8	26	7.7	8.7	4.7	184.5
250	252.3	26	9.6	10.8	7.4	230.8
315	317.9	26	12.1	13.6	11.7	290.7

*min wall thickness set at 3mm