


29.08.2025

## PE 100 RC Elbows 45°, injected



### Product details:

- black
- injected, with elongated spigot, for butt welding and electrofusion welding
- Based on DIN EN ISO 15494/B, DIN EN 1555/3, DIN EN 12201/3

Product image for illustration purposes only.

SDR	d (mm)	e (mm)	le1 (mm)	z1 (mm)	PN (bar)	Angle (°)	kg/piece	PU (Stck./pcs.)	Art. No.
11	20	1.9	52	72	16	45	0.020	10	019200207
11	25	2.3	57	75	16	45	0.031	5	019200208
11	32	3.0	71	90	16	45	0.058	5	019200209
11	40	3.7	74	95	16	45	0.091	2	019200210
11	50	4.6	62	78	16	45	0.111	2	019200211
11	63	5.8	66	88	16	45	0.210	30	019200212
11	75	6.8	71	88	16	45	0.291	25	019200213
11	90	8.2	83	105	16	45	0.480	12	019200214
11	110	10.0	93	121	16	45	0.848	8	019200215
11	125	11.4	99	133	16	45	1.200	6	019200216
11	140	12.7	120	158	16	45	1.760	8	019200338
11	160	14.6	142	180	16	45	2.732	5	019200217
11	180	16.4	141	185	16	45	3.470	4	019200218
11	200	18.2	153	203	16	45	4.610	5	019200219
11	225	20.5	153	205	16	45	6.145	4	019200220
11	250	22.7	134	215	16	45	8.330	3	019200279
11	280	25.4	141	225	16	45	10.640	2	019200281
11	315	28.6	155	245	16	45	14.670	2	019200283
17	50	3.0	61	76	10	45	0.084	2	019200189
17	63	3.8	66	88	10	45	0.145	1	019200191
17	75	4.5	71	88	10	45	0.200	24	019200193
17	90	5.1	83	105	10	45	0.340	12	019200195
17	110	6.6	93	121	10	45	0.575	8	019200197
17	125	7.4	97	137	10	45	0.815	6	019200199
17	140	8.3	120	158	10	45	1.276	8	019200378
17	160	9.5	142	180	10	45	1.875	5	019200200
17	180	10.7	141	185	10	45	2.450	4	019200202
17	200	11.9	152	203	10	45	3.300	5	019200204
17	225	13.4	153	205	10	45	4.280	4	019200206
17	250	14.8	134	215	10	45	5.860	3	019200278
17	280	16.6	141	225	10	45	7.650	2	019200280
17	315	18.7	155	245	10	45	10.440	2	019200282

Execution in SDR 17, also for SDR 17,6

All information provided in respect of technical data shall be considered non-binding. This information does not constitute a guarantee of specific properties or qualities and shall not be construed as a warranty in regard to product condition, durability or service life. Subject to modifications and errors. Our standard terms and conditions apply. For further information, please contact our applications engineering team: [pipingsystems@simona.de](mailto:pipingsystems@simona.de).