


29.08.2025

## PE 100 RC Tees with reduced branch, injected



**Product details:**

- black
- injected, with elongated spigot, for butt welding and electrofusion welding
- more designs, see page 48
- Based on DIN EN ISO 15494/B, DIN EN 12201/3, DIN EN 1555/3

Product image for illustration purposes only.

SDR	d1 (mm)	e (mm)	d2 (mm)	e2 (mm)	le1 (mm)	le2 (mm)	z1 (mm)	z2 (mm)	Length (mm)	kg/ piece	PU (Stck./pcs.)	Art. No.
11	63	5.8	32	3	65	47	109	86	218	0.280	20	01002598 3
11	63	5.8	40	3.7	65	52	109	93	218	0.290	20	01002598 4
11	63	5.8	50	4.6	65	59	109	100	218	0.313	20	01350084 6
11	75	6.8	32	3	73	46	124	98	248	0.455	12	01350084 7
11	75	6.8	50	4.6	73	58	124	109	248	0.485	12	01350084 8
11	75	6.8	63	5.8	73	65	124	118	248	0.520	12	01350084 9
11	90	8.2	50	4.6	81	60	140	117	280	0.810		01350069 2
11	90	8.2	63	5.8	81	65	138	123	276	0.840	15	01350069 3
11	90	8.2	75	6.8	80	75	143	132	286	0.800	12	01350085 0
11	110	10.0	63	5.8	88	68	160	147	320	1.400	10	01350069 4
11	110	10.0	75	6.8	85	74	162	155	324	1.382	1	01350085 1
11	110	10.0	90	8.2	87	81	159	158	318	1.495	10	01350069 5
11	125	11.4	90	8.2	90	82	176	165	352	1.997	6	02230003 8
11	125	11.4	110	10	90	85	175	167	350	2.097	1	01350085 2
11	160	14.6	63	5.8	105	65	205	170	410	3.605	4	01350085 3
11	160	14.6	75	6.8	103	73	205	180	410	3.295	8	01003324 1
11	160	14.6	90	8.2	104	83	206	190	412	3.690	8	01350069 6
11	160	14.6	110	10	104	89	207	200	414	3.865	8	01350069 7
11	180	16.4	90	8.2	108	82	238	200	476	4.857	3	02230004 0
11	180	16.4	110	10	107	84	240	202	480	5.174	3	02230005 1
11	180	16.4	160	14.6	110	101	240	220	480	5.560	1	01350085 5
11	200	18.2	90	8.2	124	82	250	214	500	6.895		02230005 4
11	200	18.2	110	10	125	86	250	215	500	7.060	2	02230005 5
11	200	18.2	160	14.6	123	101	250	235	500	7.445	3	02230005 6
11	225	20.5	75	6.8	129	73	280	219	560	9.750	3	01350085 6
11	225	20.5	90	8.2	129	82	275	225	550	9.850	3	01350069 8

Execution in SDR 17, also for SDR 17,6

SDR	d1 (mm)	e (mm)	d2 (mm)	e2 (mm)	le1 (mm)	le2 (mm)	z1 (mm)	z2 (mm)	Length (mm)	kg/piece	PU (Stck./pcs.)	Art. No.
11	225	20.5	110	10	130	86	278	238	556	10.100	3	01350069 9
11	225	20.5	160	14.6	128	107	277	255	554	10.485	3	01350070 0
11	225	20.5	180	16.4	132	135	273	274	546	10.915		01350085 7
11	250	22.7	110	10	133	85	288	242	576	11.685	2	02230012 4
11	250	22.7	160	14.6	134	102	292	266	584	12.180	2	02230012 5
11	315	28.6	110	10	155	85	346	277	692	22.150	1	02230010 0
11	315	28.6	160	14.6	155	101	350	301	700	22.730	1	02230010 1
11	315	28.6	200	18.2	155	117	340	313	680	21.819	3	01003391 4
11	315	28.6	225	20.5	153	125	340	320	680	22.137	1	02230008 3
11	315	28.6	250	22.7	154	135	346	330	692	24.345	1	02230008 2
17	63	3.8	50	3	60	56	106.5	100	213	0.220		01350083 4
17	75	4.5	50	3	72.5	56	130	111	260	0.410		01350083 6
17	75	4.5	63	3.8	70	64	127.5	117	255	0.440		01350083 7
17	90	5.4	50	3	80	60	138	117	276	0.600	15	01350068 5
17	90	5.4	63	3.8	81	65	138	122	276	0.610	15	01350068 6
17	90	5.4	75	4.5	80	75	143	132	286	0.681	12	01350083 8
17	110	6.6	63	3.8	88	67	160	147	320	1.010	10	01350068 7
17	110	6.6	75	4.5	85	74	162	155	324	1.029	1	01350083 9
17	110	6.6	90	5.4	86	81	159	159	318	1.055	10	01350068 8
17	125	7.4	90	5.4	90	83	177	165	354	1.500	6	02230004 4
17	125	7.4	110	6.6	90	85	177	167	354	1.560	1	01350084 0
17	160	9.5	63	3.8	103	65	205	172	410	2.525	4	01350084 1
17	160	9.5	75	4.5	105	75	210	180	420	2.635	1	01350084 2
17	160	9.5	90	5.4	104	82	205	188	410	2.610	8	01350068 9
17	160	9.5	110	6.6	103	88	206	198	412	2.695	8	01350069 0
17	180	10.7	90	5.4	110	82	242	200	484	3.810	4	02230004 7
17	180	10.7	110	6.6	110	86	243	205	486	3.863	3	01003391 1
17	180	10.7	160	9.5	110	100	242	220	484	4.168	1	01350084 3
17	200	11.9	90	5.4	125	82	253	216	506	5.015	2	02230005 8
17	200	11.9	110	6.6	124	85	250	215	500	5.155	2	02230005 9
17	200	11.9	160	9.5	120	101	250	235	500	5.430	3	02230006 0
17	225	13.4	75	4.5	120	75	222.5	226	445	7.060		01350084 4
17	225	13.4	90	5.4	129	82	276	226	552	7.010	3	01350069 1
17	225	13.4	110	6.6	130	86	277	236	554	7.150	3	01350011 0
17	225	13.4	160	9.5	128	107	275	255	550	7.220	3	01350011 1
17	225	13.4	180	10.7	128	107	276	280	552	7.795	3	01350084 5
17	250	14.8	110	6.6	133	85	288	247	576	8.095	2	02230012 1
17	250	14.8	160	9.5	133	101	288	264	576	8.700	2	02230012 2
17	315	18.7	110	6.6	155	84	350	277	700	15.860	1	02230009 8
17	315	18.7	160	9.5	153	101	350	301	700	15.585	1	02230009 9
17	315	18.7	200	11.9	155	117	345	313	690	17.112	3	01003391 5

Execution in SDR 17, also for SDR 17,6

SDR	d1 (mm)	e (mm)	d2 (mm)	e2 (mm)	le1 (mm)	le2 (mm)	z1 (mm)	z2 (mm)	Length (mm)	kg/piece	PU (Stck./pcs.)	Art. No.
17	315	18.7	225	13.4	155	125	345	320	690	17.451	1	02230014 8
17	315	18.7	250	14.8	170	150	335	333	670	16.625		02230012 3

Execution in SDR 17, also for SDR 17,6

All information provided in respect of technical data shall be considered non-binding. This information does not constitute a guarantee of specific properties or qualities and shall not be construed as a warranty in regard to product condition, durability or service life. Subject to modifications and errors. Our standard terms and conditions apply. For further information, please contact our applications engineering team: [pipingsystems@simona.de](mailto:pipingsystems@simona.de).