



29.08.2025

PE 100 Reducers excentric, machined



Product details:

- black
- machined, for butt welding
- DIN EN ISO 15494/B, DIN EN 12201/3

Product image for illustration purposes only.

SDR	d1 (mm)	e (mm)	d2 (mm)	e2 (mm)	le1 (mm)	le2 (mm)	Length (mm)	kg/piece	Art. No.
11	160	14.6	90	8.2	63	40	140	0.980	015000532
11	160	14.6	110	10	53	40	120	0.780	015000533
11	160	14.6	125	11.4	51	40	110	0.800	015000534
11	160	14.6	140	12.7	39	40	90	0.700	015000535
11	180	16.4	125	11.4	61	40	130	1.160	015000536
11	180	16.4	140	12.7	48	40	110	1.100	015000537
11	180	16.4	160	14.6	39	40	90	0.900	015000538
11	200	18.2	140	12.7	58	40	130	1.400	015000539
11	200	18.2	160	14.6	48	40	110	1.320	015000540
11	200	18.2	180	16.4	48	40	100	1.070	015000541
11	225		140						015000692
11	225	20.5	160	14.6	65	40	140	1.960	015000542
11	225	20.5	180	16.4	56	40	120	1.600	015000543
11	225	20.5	200	18.2	46	40	100	1.500	015000544
11	250		160					3.000	015000688
11	250	22.7	180	16.4	63	40	140	2.700	015000545
11	250	22.7	200	18.2	63	40	130	2.260	015000546
11	250	22.7	225	20.5	46	40	100	1.860	015000547
11	280	25.4	200	18.2	67	40	150	3.680	015000548
11	280	25.4	225	20.5	61	40	130	3.100	015000549
11	280	25.4	250	22.7	54	40	110	2.600	015000550
11	315	28.6	225	20.5	72	40	160	5.000	015000551
11	315	28.6	250	22.7	65	40	140	4.300	015000552
11	315	28.6	280	25.4	61	40	120	3.660	015000553
11	355	32.2	250	22.7	84	40	180	7.200	015000554
11	355	32.2	280	25.4	70	40	150	5.200	015000555
11	355	32.2	315	28.6	58	40	120	4.600	015000556
11	400	36.3	280	25.4	92	40	200	9.500	015000557
11	400	36.3	315	28.6	87	40	170	7.800	015000558
11	400	36.3	355	32.2	66	40	130	6.300	015000559
11	450	40.9	315	28.6	89	50	210	13.600	015000560
11	450	40.9	355	32.2	80	50	180	11.500	015000561
11	450	40.9	400	36.3	63	50	140	8.600	015000562
11	500	45.4	315	28.6	107	40	260	20.100	015000563
11	500	45.4	355	32.2	101	40	230	17.500	015000564
11	500	45.4	400	36.3	96	40	200	14.900	015000565
11	500	45.4	450	40.9	85	40	160	11.400	015000566
11	560	50.8	450	40.9	101	40	210	19.700	015000567
11	560	50.8	500	45.4	90	40	170	15.300	015000568
11	630	57.2	500	45.4	109	40	230	27.400	015000569
11	630	57.2	560	50.8	94	40	180	20.500	015000570
17	160	9.5	90	5.4	63	40	140	0.700	015000463
17	160	9.5	110	6.6	53	40	120	0.612	015000464
17	160	9.5	128	7.4	51	40	110	0.400	015000465
17	160	9.5	140	8.3	39	40	90	0.340	015000466
17	180	10.7	125	7.4	61	40	130	0.700	015000467
17	180	10.7	140	8.3	48	40	110	0.560	015000468
17	180	10.7	160	9.5	39	40	90	0.320	015000469
17	200		110					1.300	010050245
17	200	11.9	140	8.3	58	40	130	0.900	015000470
17	200	11.9	160	9.5	48	40	110	0.660	015000471
17	200	11.9	180	10.7	48	40	100	0.540	015000472

Execution in SDR 17, also for SDR 17,6

SDR	d1 (mm)	e (mm)	d2 (mm)	e2 (mm)	le1 (mm)	le2 (mm)	Length (mm)	kg/piece	Art. No.
17	225		140					1.620	015000759
17	225	13.4	160	9.5	65	40	140	1.200	015000473
17	225	13.4	180	10.7	56	40	120	0.900	015000474
17	225	13.4	200	11.9	46	40	100	0.700	015000475
17	250		160					2.260	015000756
17	250	14.8	180	10.7	63	40	140	1.400	015000476
17	250	14.8	200	11.9	63	40	130	1.100	015000477
17	250	14.8	225	13.4	46	40	100	0.800	015000478
17	280		160					4.240	015000711
17	280		180					3.569	010037354
17	280	16.6	200	11.9	67	40	150	2.500	015000479
17	280	16.6	225	13.4	61	40	130	2.050	015000480
17	280	16.6	250	14.8	54	40	110	1.700	015000481
17	315		160					6.960	010050252
17	315		200					3.800	015000761
17	315	18.7	225	13.4	72	40	160	3.800	015000482
17	315	18.7	250	14.8	65	40	140	2.100	015000483
17	315	18.7	280	16.6	61	40	120	1.400	015000484
17	355	21.1	250	14.8	84	40	180	5.200	015000485
17	355	21.1	280	16.6	70	40	150	3.900	015000486
17	355	21.1	315	18.7	58	40	120	2.900	015000487
17	400	23.7	280	16.6	85	40	200	7.600	015000488
17	400	23.7	315	18.7	87	40	170	6.000	015000489
17	400	23.7	355	21.1	66	40	130	4.100	015000490
17	450	26.7	315	18.7	89	50	210	9.900	015000491
17	450	26.7	355	21.1	80	50	180	8.100	015000492
17	450	26.7	400	23.7	63	50	140	5.600	015000493
17	500	29.7	315	18.7	107	40	260	13.600	015000494
17	500	29.7	355	21.1	91	40	220	12.800	015000495
17	500	29.7	400	23.7	86	40	190	10.600	015000496
17	500	29.7	450	26.7	65	40	140	6.900	015000497
17	560		250					25.000	010050244
17	560	33.2	450	26.7	91	40	200	13.900	015000498
17	560	33.2	500	29.7	70	40	150	9.300	015000499
17	630	37.4	500	29.7	99	40	220	19.700	015000500
17	630	37.4	560	33.2	84	40	170	13.800	015000501
33	160	4.9	90	2.8	63	40	140	0.710	015000605
33	160	4.9	110	3.4	53	40	120	0.510	015000606
33	160	4.9	125	3.9	51	40	110	0.410	015000607
33	160	4.9	140	4.3	39	40	90	0.310	015000608
33	180		110					0.810	015000712
33	180	5.5	125	3.9	61	40	130	0.710	015000609
33	180	5.5	140	4.3	48	40	110	0.510	015000610
33	180	5.5	160	4.9	39	40	90	0.310	015000611
33	200		125						015000713
33	200	6.2	140	4.3	58	40	130	0.910	015000612
33	200	6.2	160	4.9	48	40	110	0.610	015000613
33	200	6.2	180	5.5	48	40	100	0.410	015000614
33	225		140						015000714
33	225	6.9	160	4.9	65	40	140	1.160	015000615
33	225	6.9	180	5.5	56	40	120	0.910	015000616
33	225	6.9	200	6.2	48	40	100	0.610	015000617
33	250		160					1.880	015000715
33	250	7.7	180	5.5	63	40	140	1.420	015000618
33	250	7.7	200	6.2	63	40	130	1.500	015000619
33	250	7.7	225	6.9	46	40	100	0.810	015000620
33	280		180						015000716
33	280	8.6	200	6.2	67	40	150	2.030	015000621
33	280	8.6	225	6.9	61	40	130	1.820	015000622
33	280	8.6	250	7.7	54	40	110	1.110	015000623
33	315		200						015000717
33	315	9.7	225	6.9	72	40	160	2.720	015000624
33	315	9.7	250	7.7	65	40	140	2.480	015000625
33	315	9.7	280	8.6	61	40	110	1.950	015000626
33	355	10.9	250	7.7	84	40	180	4.100	015000627
33	355	10.9	280	8.6	70	40	150	2.900	015000628
33	355	10.9	315	9.7	58	40	120	2.040	015000629
33	400	12.3	315	9.7	77	40	160	5.000	015000631
33	400	12.3	355	10.9	56	40	120	2.400	015000632
33	450	13.8	315	9.7	79	40	200	8.340	015000633
33	450	13.8	355	10.9	70	50	170	5.400	015000634
33	450	13.8	400	12.3	53	50	130	3.420	015000635
33	500	15.3	315	9.7	107	40	260	15.020	015000636
33	500	15.3	355	10.9	91	40	220	10.100	015000637
33	500	15.3	400	12.3	76	40	180	7.100	015000638
33	500	15.3	450	13.8	55	40	130	4.160	015000639
33	560		400					14.900	015000754
33	560	17.2	450	13.8	81	40	190	9.400	015000640
33	560	17.2	500	15.3	60	40	140	5.600	015000641
33	630	19.3	500	15.3	89	40	210	13.500	015000642
33	630	19.3	560	17.2	92	90	210	8.700	015000643
33	710		560					19.100	015000755

Execution in SDR 17, also for SDR 17,6

SDR	d1 (mm)	e (mm)	d2 (mm)	e2 (mm)	le1 (mm)	le2 (mm)	Length (mm)	kg/piece	Art. No.
33	710	21.8	630	19.3	90	80	210	10.118	015000644
33	800	24.5	710	21.8	92	90	230	14.418	015000645
33	900	27.6	800	24.5	86	40	190	21.100	015000646
33	1000	30.6	900	27.6	86	40	190	25.400	015000647

Execution in SDR 17, also for SDR 17,6

All information provided in respect of technical data shall be considered non-binding. This information does not constitute a guarantee of specific properties or qualities and shall not be construed as a warranty in regard to product condition, durability or service life. Subject to modifications and errors. Our standard terms and conditions apply. For further information, please contact our applications engineering team: pipingsystems@simona.de.